



**Certificate of Analysis**  
Compliance Test

Client Information:

**Honest PP&D**  
1038 Arlington St  
Orlando, Florida 32805

Batch # CD0001  
Batch Date: 2023-01-25  
Extracted From: Hemp

Test Reg State: Florida

Order # HON240125-050001  
Order Date: 2024-01-25  
Sample # AAFG062

Sampling Date: 2024-01-27  
Lab Batch Date: 2024-01-27  
Completion Date: 2024-02-05

Initial Gross Weight: 55.096 g

Number of Units: 1  
Net Weight per Unit: 7000.000 mg



Potency  
Tested

Product Image

**Delta 8/Delta 10 Potency 13 - (LCUV) + Potency 25 (LCUV)**

Specimen Weight: 505.130 mg

Analyte	Dilution (1:n)	LOD (%)	LOQ (%)	Result (mg/g)	(%)
Delta-8 THC	50.000	2.60E-5	0.015	760.6100	76.0610
Delta6a10a-THC	50.000	8.47E-5	0.015	70.460	7.046
Delta9-THCP *	500.000	1.17E-5	0.012	47.6400	4.7640
Delta-8 THCV	500.000	4.00E-5	0.015	31.0200	3.1020
CBNA	50.000	9.50E-5	0.015	5.5700	0.5570
CBN	50.000	1.40E-5	0.015	5.3800	0.5380
Delta-10 THC	50.000	3.00E-6	0.015	5.030	0.503
CBT	50.000	2.00E-4	0.015	2.7740	0.2774
THCA-A	50.000	3.20E-5	0.015	2.1200	0.2120
CBDV	50.000	6.50E-5	0.015	1.3300	0.1330
CBD	50.000	5.40E-5	0.015	0.9500	0.0950
Delta8-THCP *	50.000	3.75E-4	0.015	0.7919	0.0792
CBGA	50.000	8.00E-5	0.015	0.6900	0.0690
CBC	50.000	1.80E-5	0.015	<LOQ	<LOQ
CBDA	50.000	1.00E-5	0.015	<LOQ	<LOQ
CBG	50.000	2.48E-4	0.015	<LOQ	<LOQ
Delta-9 THC	50.000	1.30E-5	0.015	<LOQ	<LOQ
THCV	50.000	7.00E-6	0.015	<LOQ	<LOQ
CBCA	50.000	1.07E-4	0.015	<LOQ	<LOQ
CBDVA	50.000	1.40E-5	0.015	<LOQ	<LOQ
CBL	50.000	3.50E-5	0.015	<LOQ	<LOQ
Delta-8 THC-O Acetate	50.000	2.70E-5	0.025	<LOQ	<LOQ
Delta-9 THC-O Acetate	50.000	7.70E-5	0.025	<LOQ	<LOQ
Exo-THC	50.000	2.30E-4	0.015	<LOQ	<LOQ
THCB *	50.000	1.80E-4	0.0163	<LOQ	<LOQ
THCH *	50.000	3.50E-4	0.0163	<LOQ	<LOQ
THCVA	50.000	4.70E-5	0.015	<LOQ	<LOQ
Total Active CBD	50.000			0.950	0.095
Total Active THC	50.000			1.859	0.186

SOP13.052,SOP13.001 (LCUV)

**Tested**

**Potency Summary**

<b>Total Delta 8</b> 76.061% 5324.27 mg	<b>Total Delta 10</b> 0.503% 35.21 mg
<b>Total Active THC</b> 0.186% 13.02 mg	<b>Total Active CBD</b> 0.095% 6.65 mg
<b>Total CBG</b> 0.061% 4.27 mg	<b>Total CBN</b> 1.026% 71.82 mg
<b>Other Cannabinoids</b> 15.402% 1078.107 mg	<b>Total Cannabinoids</b> 93.334% 6533.347 mg

Summary Results determined from two distinct Potency Tests - Delta 8/Delta 10 Potency 13 - (LCUV) + Potency 25 (LCUV)

Aixia Sun Lab Director/Principal Scientist  
D.H.Sc., M.Sc., B.Sc., MT (AAB)



Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBD-A \* 0.877), \*Total CBDV = CBDV + (CBDVA \* 0.87), Total Active THC = THCA-A \* 0.877 + Delta 9 THC, Total THC = THCV + (THCVA \* 0.87), CBG Total = (CBGA \* 0.877) + CBG, CBN Total = (CBNA \* 0.877) + CBN, Total CBC = CBC + (CBCA \* 0.877), Total THC-O-Acetate = Delta 8 THC-O-Acetate + Delta 9 THC-O-Acetate, Total THCP = Delta8-THCP + Delta9-THCP, Other Cannabinoids Total = Total Cannabinoids - All the listed cannabinoids on the summary section, Total Detected Cannabinoids = Delta6a10a-THC + Delta8-THC + Total CBN + CBT + CBE + Delta8-THCV + Total CBG + Total CBD + Total THCV + CBL + Total THC + Total CBC + Total CBDV + Delta10-THC + Total THC-O-Acetate + Total THCP. (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor, (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram, (µg/g) = Microgram per Gram, (ppm) = Parts per Million, (ppm) = (µg/g), (aw) = Water Activity, (mg/Kg) = Milligram per Kilogram. ACS uses simple acceptance criteria. Passed - Analyte/microbe is not detected or is at the level below the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034. Failed - Analyte/microbe is at the level that equal or above the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034 Sample not received via laboratory sampling.

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "\*" are not ISO/IEC 17025:2017 accredited test results.